

Serial No.: 09/576,094
Attorney Docket No. 2C03.1-191

CLAIM AMENDMENTS

Please amend the claims (~~strike through~~ indicating deletion and underline indicating insertion), and add new claims as follows:

1. (currently amended) A positive power anterior chamber ocular implant for placement in the anterior chamber of a phakic ~~eye~~ eye comprising a positive artificial refracting lens having at least one convex surface and a means for positioning the lens in the anterior chamber of the eye, wherein contact between the positive refracting lens and other anatomic bodies is avoided, wherein the means for positioning avoids contact with the iris and corneal endothelium;

E 1

wherein said means for positioning the positive refracting lens comprises two haptics arranged in providing a four-point attachment, each haptic having an "S" configuration with a smooth transition portion extending normal to a peripheral edge of the lens, having a four-point attachment and each haptic having an intermediate beam extending from the transition portion and having a length of approximately 5.25 mm, and a concavely curved outer portion extending from the transition portion, and wherein each haptic has a thickness between in the range of 0.25 mm to 0.35 mm at the point of attachment to said lens.

- 2-5 (cancelled)
6. (original) The implant according the claim 1, wherein the implant is coated with a compatible sulfated polysaccharide medicament.

Serial No.: 09/576,094
Attorney Docket No. 2C03.1-191

7. (original) The implant according to claim 6, wherein the sulfated polysaccharide is selected from the group consisting of heparin, heparin sulfate, chondroitin sulfate, dermatan sulfate, chitosan sulfate, xylan sulfate, dextran sulfate, and sulfated hyaluronic acid.
8. (original) The implant according to claim 1, wherein the artificial refracting lens is fabricated from compounds selected from the group consisting of polymethylmethacrylate, methacrylate, poly-2-hydroxyethyl methacrylate, methylmethacrylate copolymers, siloxanylalkyl, fluoroalkyl and aryl methacrylates, silicone, silicone elastomers, polysulfones, polyvinyl alcohols, polyethylene oxides, copolymers of fluoroacrylates and methacrylates, polymers and copolymers of hydroxyalkyl methacrylates, methacrylic acid, acrylic acid, acrylamide, methacrylamide, N, N-dimethylacrylamide, and N-vinylpyrrolidone.
9. (original) The implant according the claim 1, wherein the refracting lens is foldable.
10. (original) The implant according to claim 1, wherein the refracting lens is rigid.
11. (previously amended) The implant according to claim 1, wherein the means for positioning the lens in the anterior chamber of the eye to prevent contact between the implant and the anatomic lens comprises two haptics wherein each haptic is normal to the peripheral edge of the positive artificial refracting lens.

12-20 (cancelled)

Serial No.: 09/576,094
Attorney Docket No. 2C03.1-191

21. (new) An ocular implant comprising:
- an optic lens having an anterior surface, a posterior surface, and a peripheral edge between the anterior surface and the posterior surface;
- at least one haptic affixed to said lens, each said haptic having a generally "S"-shaped configuration with a smooth transition portion extending normal to the peripheral edge of the lens, an intermediate beam extending from the transition portion, and a concavely curved outer portion extending from the transition portion to define a first attachment point at the juncture of the transition portion and the outer portion, and a second attachment point at a distal end of the outer portion.
22. (new) The ocular implant of Claim 21, wherein at least one of the anterior surface and the posterior surface are convex.
23. (new) The ocular implant of Claim 21, wherein both of the anterior surface and the posterior surface are convex.
24. (new) The ocular implant of Claim 21, wherein said lens has a positive optical power.
25. (new) The ocular implant of Claim 21, wherein said lens is foldable.
26. (new) The ocular implant of Claim 21, wherein the transition portion of each haptic has a thickness of between 0.25 mm to 0.35 mm.
27. (new) The ocular implant of Claim 21, wherein the intermediate beam of each haptic has a length of about 5.25 mm.
28. (new) The ocular implant of Claim 21, having a vault of between 0.8 mm and 1.2 mm.
29. (new) The ocular implant of Claim 21, having a saggita value of between 1.2 mm and 1.75 mm.

Serial No.: 09/576,094
Attorney Docket No. 2C03.1-191

30. (new) The ocular implant of Claim 21, wherein said transition portion comprises a smooth concave curvature.
31. (new) The ocular implant of Claim 30, wherein the smooth concave curvature of said transition portion has a radius of curvature of less than 0.4 mm.
32. (new) The ocular implant of Claim 21, having an overall omega value of 12 mm to 14 mm.
33. (new) A positive power anterior chamber ocular implant for placement in the anterior chamber of a phakic eye, said ocular implant comprising a lens having an anterior surface, a posterior surface, and a peripheral edge between the anterior surface and the posterior surface, at least one of the anterior surface and the posterior surface being convex, said ocular implant further comprising a pair of haptics attached to said lens, said pair of haptics providing a four-point attachment wherein each haptic has a generally "S"-shaped configuration with a smooth transition portion extending normal to the peripheral edge of the lens, an intermediate beam extending from the transition portion, and a concavely curved outer portion extending from the transition portion to define a first attachment point at the juncture of the transition portion and the outer portion, and a second attachment point at a distal end of the outer portion.
34. (new) The ocular implant of Claim 33, wherein the transition portion of each haptic has a reduced thickness of between 0.25 mm to 0.35 mm.
35. (new) The ocular implant of Claim 33, wherein the intermediate beam of each haptic has a length of about 5.25 mm.
36. (new) The ocular implant of Claim 33, having a vault of between 0.8 mm and 1.2 mm.

E'
Cont

Serial No.: 09/576,094
Attorney Docket No. 2C03.1-191

- E-1
Cancel
- 37. (new) The ocular implant of Claim 33, having a sagitta value of between 1.2 mm and 1.75 mm.
 - 38. (new) The ocular implant of Claim 33, wherein said transition portion comprises a smooth concave curvature.
 - 39. (new) The ocular implant of Claim 38, wherein the smooth concave curvature of said transition portion has a radius of curvature of less than 0.4 mm.
 - 40. (new) The ocular implant of Claim 33, having an overall omega value of 12 mm to 14 mm.
-